



Center for Advanced Molecular Imaging (CAMI) Access Request Form

- 1) Complete all sections.
- 2) Obtain signatures from your PI and the CAMI Staff.
- 3) Submit via email with photo of the front and back of your INDALA encoded Wildcard to clp-info@northwestern.edu .

User's Name: _____

Job Title: _____

Department: _____

Email: _____

Phone #: _____

NetID: _____

Wildcard INDALA #: _____

Northwestern ID #: _____

Name of PI: _____

PI's Phone: _____

Brief description of intended use:

Rooms to be accessed (Check all that apply):

1529 - Lobby/workstation

1566 - 9.4T MRI

1539 - SPID

1570 - 7.0T MRI

1583 - Electronics shop

1568 - MRI Electronics room

1560 - Biophotonics

1573 - Procedure

1561 - Cell Culture

1579 - Housing

1567 - Microscopy

1571 - Bioluminescence

HAZARD WARNINGS

I understand that the MRI systems in CAMI can be extremely hazardous to untrained individuals:

- Pacemakers, defibrillators, insulin pumps, and other implants may stop working if exposed to the magnetic field.
- Metal objects can become projectiles in the magnetic field and cause serious injury to people or equipment.
- Credit cards and IDs may be erased in the magnetic field.

I understand that radioactive materials are used in CAMI, in designated, clearly marked locations. I understand that radioactive materials and high magnetic fields do not pose a hazard to users who remain outside designated areas.

I WILL OBEY ALL POSTED WARNING SIGNS. I WILL NOT ENTER MRI ROOMS OR RADIOACTIVE MATERIAL ROOMS FOR ANY REASON WITHOUT PROPER TRAINING AND AUTHORIZATION FROM CAMI STAFF.

Your Signature: _____ **Date:** _____

Your Primary Investigator's Signature: _____ **Date:** _____

CAMI Staff Signature:

Find Chad Haney or Alex Waters in suite room 1529 to approve your access. Their offices are 1533 and 1535. They may also be found in the interior instrument suite room 1557.

Access approved by: _____ Signature: _____

Date: _____ Access level: Outer hallway Inner hallway MRI